



YOUR WORKMATE

A trolley from Kongamek makes a big difference. Regardless of type of industry or task, our trolleys relieves you in your everyday work.
See more at kongamek.com

KONGAMEK

ABOUT US

Kongamek is a leading manufacturer of trolleys and material handling solutions, focusing on quality, ergonomic, and sustainability. With production facilities in both Sweden and Vietnam, we combine Scandinavian design with efficient manufacturing to meet the needs of customers worldwide. Our products are used in various environments, from logistics and industries to shops and offices.

In addition to our headquarters in Sweden, we also have a sales office in Germany to strengthen our presence on the European market. Through innovation, customization, and a global presence, we strive to streamline workflows and improve working environments for our customers.

A close-up photograph of a person's hand in a dark sleeve gripping a black, curved, ergonomic handle of a trolley. The handle is attached to a metal frame with visible bolts. The background is a blurred industrial or warehouse environment with metal structures and a concrete floor.

**TROLLEYS ADAPTED FOR ALL
NEEDS AND INDUSTRIES**



A man with a beard and glasses, wearing a black jacket, is standing in a warehouse aisle. He is holding a large, light-colored cardboard box with an illustration of wine glasses on it. He is also holding a black handheld device with a green screen displaying the number '24'. The background shows metal shelving units filled with cardboard boxes.

**THE WIDEST TROLLEY
ASSORTMENT IN EUROPE**



WHY KONGAMEK




48h on over 600 trolley models with Drop shipment within EU



Special needs?
We customize after your needs



We are always at hand, proud of our Swedish heritage and offer 5 years warranty



With our own powder coating line we can colour your trolley after your wishes



We are flexible, always at hand and proud of our community



Our goal is to always be a Sustainable company

CHOOSE THE RIGHT WORKMATE



MATERIALS

Give some thought to how and where you will be using the trolley, and whether there are any special requirements you need to take into account in the work environment. For example, you may need a robust, hard-wearing steel model, or a stainless trolley that meets the hygiene requirements in a restaurant setting.

ASK YOURSELF

- What is the trolley to be used for?
- In what environment(s) will you be using it?
- Do any special requirements apply to this environment?



LOAD SURFACE

The type of load to be transported affects the need for space, stability and adaptability on the trolley. On some types of trolleys, you can adjust the layout of the shelves. Don't forget that this function may affect the maximum load.

ASK YOURSELF

- How heavy of a load does the trolley need to handle?
- Do you need to be able to move or adjust the angle of the shelves?
- Do you need a trolley with walls on one or more sides?



CASTORS

The castors are the most important component of the trolley. The choice of castor affects not only load capacity, but also manoeuvrability and noise level. As a rule of thumb, the heavier the load you have to transport, the bigger and coarser the castors you will need.

ASK YOURSELF

- How much weight does the trolley need to carry?
- What surface(s) will the trolley be operating on?
- Will the trolley be used indoors or outdoors?



ACCESSORIES

All kinds of accessories are available to help make the working day a little easier for the user. Optimising the trolley function will allow staff to work more efficiently, responsibly and safely. Common accessories include: writing tablets, mesh sides, ladders and shelf dividers.

ASK YOURSELF

- Will adding accessories optimise the trolley function?
- Are there any risks to take into account?

CASTORS THAT KEEP YOUR BUSINESS ROLLING

For more than 20 years, we have been working closely with Tente – the biggest wheel and castor manufacturer in Europe. Top quality castors from Tente are used on thousands of mobile solutions all over the world. Through our working relationship, we ensure that our products present the best possible function and ergonomics.

KONGAMEK



A BIT OF CASTOR KNOWLEDGE

There are some fundamental principles that are good to know when choosing castors for your trolley;

- Big castors run more smoothly than little ones
- Hard castors have lower rolling resistance than soft ones
- Castors with a soft contact surface damp down noise and vibrations better than hard castors
- Hard castors work best on soft surfaces, and vice versa
- Double castors swivel more easily than single castors

The bracket that holds the wheel can be fixed or swivel

Wheels with a swivel bracket are often called “castors” and are available with or without brakes. Some brackets are also available with direction lock and/or brake in the direction of travel. It is common to combine two different types of brackets on the same product.






THE PRINCIPAL CRITERION FOR CHOOSING THE MATERIAL IS THE WEIGHT CAPACITY YOU NEED

- Polypropylene is usually sufficient for small trolleys.
- Polyamide/"nylon" is a strong synthetic material that can handle loads weighing hundreds of kilos.
- Aluminium, steel and cast iron are typically used for heavier assignments.



THE CASTOR TREAD DETERMINES ROLLING PROPERTIES AND WEIGHT CAPACITY

Hard castors – such as polyamide castors – are supplied without tread. Rubber and polyurethane treads are available in different degrees of hardness, although rubber treads are generally softer and cheaper, while polyurethane ones are harder-wearing. Soft wheel treads deal better with uneven surfaces than hard ones.



BEARING TYPE IS DEFINED BY WEIGHT AND HOW MUCH THE TROLLEY IS TO TRAVEL

If the trolley is light, it is not usually necessary to choose special bearings. Ball bearings provide the least rolling resistance.



LOGISTIC & WAREHOUSE



KM4128-ERGO | Shelf trolley | 1140 x 630 x 1540 mm



KM169 | Mobile bin trolley | 972 x 613 x 1667 mm



KM07350-ERGO | Scooter | 1470 x 700 x 1000 mm



MODULAR TROLLEY



LOAD

300-400 kg depending on specification.



CASTORS

2 fixed 2 swivel with brakes.



SHELVES

Adjustable in steps every 50 mm. Can also be mounted with edge up.



HANDLE

Practical and adjustable in height.



KM357-2-G
1000 x 700 x 865 mm



KM357-2-G + KM358-2-G
1000 x 700 x 1190 mm



KM357-2-G + KM359-2-G
1000 x 700 x 1490 mm



SERIES 8000 PICKING TROLLEY



SPECIFY YOUR TROLLEY

LENGTH

815, 945, 1195 or 1395 mm

WIDTH

470 mm

HEIGHT / SHELVES

1120 mm / 2 or 3 shelves
1590 mm / 4 shelves

BRAKED CASTORS

Yes or No

+




ADD ACCESSORIES



EXTRA SHELVES



LEANING SHELVES



SHELF DIVIDERS



WRITING/TABLET HOLDER



LADDER



GATES





SERIES 168 PICKING TROLLEY



CHOOSE YOUR MODEL



KM168-3LS-ERGO
477 x 600 x 1300mm



KM168-3LM-ERGO
877 x 600 x 1300 mm



KM168-3LL-ERGO
1277 x 600 x 1300 mm



KM168-5HS-ERGO
477 x 600 x 1850 mm



KM168-5HM-ERGO
877 x 600 x 1850 mm



KM168-5HL-ERGO
1277 x 600 x 1850 mm

+



ADD ACCESSORIES



EXTRA SHELVES



HANDLE



SHELF DIVIDERS



ROLLER CONVEYERS



LADDER





INDUSTRY & WORKSHOPS



KM337-2B | Table trolley
1100 x 700 x 890 mm



KM222-EPB | Pallet trolley
1246 x 846 x 705 mm



KM538-2B | Shelf trolley
1000 x 700 x 1800 mm














KM152979 | Drying trolley
1520 x 860 x 1960 mm



DURABLE AND PAINTED
IN DARK GRAY

AUTOMATIC TILT FUNCTION
FOR A SAFE WORK

 150 L	 300 L	 600 L	 900 L	 1 100 L	 1 600 L	 2 000 L	 2 500 L	 3 000 L
 + ADD ACCESSORIES		 Lid	 Spacers	 Safety chain	 Signs	 Stickers	 Castors	

KM23281 | Tipping container | 1495 x 1617 x 875 mm | 1 100 L



ERGONOMICS



KM337-2B-ERGO | Table trolley
1120 x 700 x 985 mm



KM159-SG-ERGO | Roll table
600 x 400 x 720-1100 mm



KMAS-2-ERGO | Security trolley
1332 x 821 x 1765 mm



KM337-2-HS-ERGO | Table trolley
1000 x 700 x 845-1100 mm

AN ERGONOMIC CHOICE

A product from Kongamek makes a big difference. Regardless of the type of industry or task, our trolleys relieve the strain on people in their daily work. Our ERGO series is a good example of this, with products featuring carefully selected castors that help minimise the amount of effort needed when setting the trolley in motion.

The recommendation from the Swedish Work Environment Authority is that the initial force required to set a trolley in motion should be less than 150 newtons, which equates to approximately 15.3 kg. We have selected castors to ensure that all our trolleys in the ERGO series are below this value in order to reduce the strain on shoulders and wrists, which are the most vulnerable areas of the body when setting a trolley in motion.

Example: Tests on our ERGO table trolley (loaded to 80% of maximum weight) have shown that the initial force required to set the trolley in motion is less than half that of a standard table trolley.

ERGO (thermoplastic rubber castors)



92 N / 9.4 KG

Standard (solid rubber castors)



207 N / 21.1 KG



CLEANING & ENVIRONMENT



KM96601 | Cleaning trolley | 690 x 450 x 1000 mm



KM3025 | Sack trolley
500 x 450 x 900 mm



KM30170 | Cleaning trolley
700 x 550 x 1000 mm



KM145760-E | Cleaning trolley
1200 x 820 x 1000 mm



KM3026 | Sack trolley
770 x 470 x 900 mm



CONSTRUCTION



KM400LG | Waste trolley | 1310 x 720 x 1000 mm



KM142654-R | Board truck | 1707 x 540 x 1122 mm



KM08375 | Plaster board trestle
1095 x 525 x 665 mm



KM9199 | Tool trolley
1260 x 760 x 720 mm



KM08200 | Board truck
1900 x 700 x 1490 mm



KM08300 | Board lift
1820 x 800 x 1790 mm



OFFICE & CONFERENCE



KM1987-S | Konga Trolley | 866 x 455 x 980 mm



KM30SF, KM115SF & KM160SF | Waste bins
30L, 115L & 160L




KM30770-S6 | Table trolley
1020 x 555 x 965 mm



KM4123-ZERO | Zero series
980 x 585 x 1445 mm



KM96300 | Table trolley
685 x 450 x 1000 mm



OUTDOOR



KM330120 | Heavy duty trolley
1200 x 690 x 397 mm



KM330150 | Heavy duty trolley
1500 x 700 x 490 mm



KM330200 | Heavy duty trolley
2000 x 1000 x 490 mm



KM330250 | Heavy duty trolley
2500 x 1000 x 490 mm



KM104 | Luggage trolley
780 x 555 x 1110 mm



KM107 | Luggage trolley
870 x 510 x 1225 mm



KM07300 | Cart | 1600 x 910 x 900 mm



SCHOOL & KINDERGARTEN



KM21357-MINI



KM31357-MINI



KM41357-MINI



KM51357-MINI



KM61357-MINI



KM71357-MINI

MINI SERIES | Shelf Trolley | 530 x 375 x 550 mm



KM60350 | Stainless, C2
710 x 400 x 805 mm



KM125264 | Shoe & Boots trolley
870 x 540 x 1200 mm



KM152975 | Drying trolley
955 x 600 x 845 mm



KM199 | Mesh trolley
1180 x 662 x 858 mm



SHOP & COMMERCE



KM4202-EB | Shop trolley
860 x 530 x 1010 mm



KM4202-FB | Shop trolley
960 x 525 x 1030 mm



KM672 | Dolly
616 x 416 x 128 mm



KM1720-6B | Table trolley
850 x 435 x 950 mm



KM72801803B | Roll container | 720 x 800 x 1800 mm



KM4202-F-ERGO | Shop trolley | 965 x 520 x 1100 mm



STAINLESS STEEL



KM60357 | Stainless, C2 | 910 x 590 x 940 mm



KM60351 | Stainless, C2
710 x 400 x 805 mm




KM60363MR | Stainless, C3
700 x 415 x 905 mm



KM60350MRM | Stainless, C3, Fully welded
650 x 440 x 1010 mm



KM60355MRU | Stainless, C3, Fully welded
825 x 575 x 900 mm



WE ARE WORKMATES

As a workmate at Kongamek, you are involved and have an impact every day by participating in our improvement work with a constant focus on sustainability. The collaboration within and between our departments is characterized by great commitment and through short decision-making paths we make daily decisions based on what is best for the customer.

We are workmates, which is the foundation of how we work at Kongamek and means that we are available, flexible and value community.





KONGAMEK AB

+46 (0)10-130 66 00 | info@kongamek.se

www.kongamek.com

Head Office

Dång 2, 362 93 Tingsryd, Sweden

Warehouse & Logistics

Postvägen 12, 362 40 Konga, Sweden



KONGAMEK

Since 1987, we have been manufacturing trolleys and material handling products. Read more at kongamek.com

KONGAMEK